



Specifications

NEW PEUGEOT *PARTNER*



PEUGEOT

| DRIVETRAIN | 1.6 HDI 75 BHP L1 625KG | 1.6 HDI 92 BHP L1 850KG | 1.6 eHDI 92 BHP L1 Stop Start Ecomatique 850KG | 1.6 HDI 92 BHP L2 750KG |
|---|---|-------------------------|--|-------------------------|
| Fuel Type | HDI Diesel | HDI Diesel | HDI Diesel | HDI Diesel |
| Cubic capacity | 1560 | 1560 | 1560 | 1560 |
| Maximum power bhp (kw) @ rpm | 75 (55) @ 4000rpm | 92 (66) @ 4000rpm | 92 (66) @ 4000rpm | 92(66) @ 4000rpm |
| Maximum torque lb ft (Nm) @ rpm | 185 (136) @ 1750 | 158 (215) @ 1750 | 158 (215) @ 1750 | 158 (215) @ 1750 |
| Regulated emission standard | Euro 5 | Euro 5 | Euro 5 | Euro 5 |
| Number of valves | 16 | 16 | 16 | 16 |
| Driven wheels | Front | Front | Front | Front |
| Fuel tank capacity (litres) | 60 | 60 | 60 | 60 |
| TRANSMISSION | | | | |
| 5 Speed Manual | ● | ● | | ● |
| 6 Speed electronically controlled manual gearbox (Ecomatique) | | | ● | |
| BRAKES | | | | |
| ABS four sensors | ● | ● | ● | ● |
| Ventilated front discs (283mm) | ● | ● | ● | ● |
| Solid rear discs (268mm) | ● | ● | ● | ● |
| STEERING | | | | |
| Power assisted steering | ● | ● | ● | ● |
| SUSPENSION AND TYRES | | | | |
| Front | Pseudo-Macpherson type with lower wishbone struts, coil springs, telescopic hydraulic dampers & anti-roll bar | | | |
| Rear | Deformable axle with coil springs, telescopic hydaulic dampers & anti roll bar | | | |
| Tyres | 195/65 R15 | 195/65 R15 | 195/65 R15 | 195/65 R15 |
| PERFORMANCE (DRIVER ONLY) | | | | |
| Maximum speed (kph) | 151 | 159 | 166 | 159 |
| Acceleration 0-100 kph (sec) | 17.9 | 14.1 | 15.4 | 15.4 |
| WEIGHTS (KG) | | | | |
| Kerb weight - excludes driver | 1294: 1304 | 1305: 1315 | 1320 | 1362 |
| Mass in service | 1450: 1460 | 1440: 1445 | 1460 | 1525 |
| Mass in service - front axle | 870: 875 | 875: 880 | 900 | 915 |
| Mass in service - rear axle | 580: 585 | 565 | 560 | 610 |
| Gross vehicle weight | 1935: 1945 | 2170: 2200 | 2210 | 2130 |
| Gross train weight | 2930 | 3120: 3150 | 3150 | 3130 |
| Maximum payload including driver | 625 | 850 | 850 | 750 |
| Maximum braked trailer towing weight | 995: 985 | 950 | 940 | 1000 |
| Maximum non-braked trailer towing weight | 690: 695 | 690: 695 | 695 | 715 |
| Maximum towball weight | 70 | 40: 60 | 70 | 50 |
| Maximum roof load | 100 | 100 | 100 | 100 |
| Maximum plated front axle | 1050: 1090 | 1110 | 1110 | 1110 |
| Maximum plated rear axle | 1120: 1090 | 1230 | 1230 | 1230 |
| INTERIOR DIMENSIONS (mm) | | | | |
| Volume (m3) | 3.3 | 3.3 | 3.3 | 3.7 |
| Volume with Multi-Flex seat down (m3) | 3.7 | 3.7 | N/A | N/A |
| Load floor length | 1800 | 1800 | 1800 | 2050 |
| Load floor length with Multi-Flex seat down | 3000 | 3000 | 3000 | N/A |
| Maximum inside width with side sliding door | 1500 | N/A | N/A | 1500 |
| Width between wheel arches | 1230 | 1230 | 1230 | 1229 |
| Maximum load height | 1250 | 1250 | 1250 | 1250 |
| Load height of side sliding door | 1100 | 1100 | 1100 | 1100 |
| Load width (without sliding door) | 1620 | 1620 | 1620 | 1620 |
| Load width (with 1 sliding door) | 1500 | 1500 | 1500 | 1500 |
| Load width (with 2 sliding doors) | N/A | N/A | N/A | 1380 |
| Minimum width of side sliding door | 640 | 640 | 640 | 640 |
| Maximum width of side sliding door | 737 | 737 | 737 | 737 |
| Maximum width of rear opening | 1250 | 1250 | 1250 | 1250 |
| Load height of rear opening | 1148 | 1148 | 1148 | 1148 |
| Rear load height | 584 | 609 | 609 | 612 |
| EXTERIOR DIMENSIONS (mm) | | | | |
| Overall length | 4380 | 4380 | 4380 | 4628 |
| Overall height (maximum) | 1828 | 1828 | 1828 | 1834 |
| Overall height (minimum) | 1801 | 1801 | 1801 | 1805 |
| Wheelbase | 2728 | 2728 | 2728 | 2728 |
| Overall width - including door mirrors | 2112 | 2112 | 2112 | 2112 |
| Overall width - door mirrors folded | 1857 | 1857 | 1857 | 1857 |
| Turning circle between kerbs (m) | 11 | 11 | 11 | 11 |
| FUEL CONSUMPTION | | | | |
| Urban drive cycle (l/100km) | 5.9 | 6.0 | 5.1 | 6.3 |
| Extra urban drive cycle (l/100km) | 4.7 | 4.8 | 4.4 | 5.1 |
| Combined drive cycle (l/100km) | 5.1 | 5.3 | 4.7 | 5.5 |
| CO2 emissions (g/km) | 133 | 138 | 123 | 134 |

E & OE July 2015

NOTE: Every endeavour has been made to ensure that the information and details contained in this specification sheet were accurate at the time of going to print, July 2015. However, the company reserves the right, whilst preserving the essential characteristics of the models described to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this leaflet up to date, but in order to avoid any misunderstandings please consult your Dealer. Images used for illustration purposes only.

| | Equipment | |
|---|------------------------|--------------------|
| | ACCESS | ACTIVE |
| ENGINE / TRIM AVAILABILITY | | |
| 1.6 HDi L1 75 BHP 625KG | ● | ● |
| 1.6 HDi L1 92 BHP 850KG | ● | ● |
| 1.6 eHDi L1 92 BHP STOP START ECOMATIQUE 850KG | | ● |
| 1.6 HdI L2 92 BHP 750KG (long body) | ● | |
| SAFETY & SECURITY | | |
| ABS with EBA (electronic brake assist) and EBFD (electronic brake force distribution) | ● | ● |
| Driver's airbag | ● | ● |
| Driver's ladder frame protector | ● | ● |
| Pre-tensioning and force limiting front seat belts | ● | ● |
| Height adjustable seat belts | ● | ● |
| Automatic fuel cut off and door unlocking | ● | ● |
| Collapsible steering column | ● | ● |
| Driver's seatbelt fasten warning light | ● | ● |
| Rolling code transponder immobiliser | ● | ● |
| Automatic door locking at 5 kph | ● | ● |
| 3 button plip remote central locking for separate cab & cargo locking and 1 spare non-plip key | ● | ● |
| Dashboard mounted central locking push button and automatic locking above 5 kph | ● | ● |
| Visible VIN at base of windscreen | ● | ● |
| Full size spare wheel | ● | ● |
| Grip Control | ○ | ○ |
| COMFORT AND CONVENIENCE | | |
| Hill assist | | |
| Cruise control & Speed limiter | | ● |
| Variable power assisted steering | ● | ● |
| Height and reach adjustable steering wheel | ● | ● |
| One touch electric front windows | ● | ● |
| Electrically adjustable door mirrors | ● | ● |
| 2 speed front wipers plus intermittent | ● | ● |
| Glove box | ● | ● |
| IN-CAR ENTERTAINMENT / COMMUNICATION | | |
| Bluetooth, USB & Aux input | ● | ● |
| RD4 radio / mono CD player / MP3 CD compatible with steering column mounted remote controls | ● | ● |
| Number of speakers | 2 | 2 |
| Steering column remote audio controls | ● | ● |
| HEATING AND VENTILATION | | |
| Heater with 4 dashboard air vents | ● | ● |
| Directional heating & air recycling | ● | ● |
| INSTRUMENTS | | |
| Speedometer with digital odometer and digital trip recorder | ● | ● |
| Rev counter | ● | ● |
| Water temperature, fuel gauge, oil level indicator | ● | ● |
| Distance to next service indicator | ● | ● |
| Trip computer | ● | ● |
| Driver seatbelt undone warning light | ● | ● |
| Battery charge warning | ● | ● |
| Door open warning | ● | ● |
| Digital clock | ● | ● |
| Lights on warning | ● | ● |
| INTERIOR FEATURES | | |
| Driver's front armrest | ● | ● |
| Courtesy light to cabin and load area | ● | ● |
| Sliding drawer under driver's seat | ● | ● |
| Front door stowage bins and cup holder | ● | ● |
| Load area light | ● | ● |
| 12v socket / cigar lighter in dashboard | ● | ● |
| 12v socket in cargo area | | ● |
| 6 tie down hooks in load area | ● | ● |
| Hard plastic floor protection in cargo area (NOT IN ECOMATIQUE) | ● | ● |
| EXTERIOR FEATURES | | |
| Kerb-side side sliding door | | ● |
| Twin side sliding doors | LONG BODY VERSION ONLY | N/A |
| Asymetric 180 degree opening rear doors | ● | ● |
| Panelled rear doors | ● | ● |
| Glazed rear doors with wash wipe & heated window | | OPT (ACTIVE MODEL) |
| Black side rubbing strips | ● | ● |
| Full size spare wheel | ● | ● |
| Centre hub cap | ● | |
| 15" Auckland wheel trims | | ● |
| EXTERIOR LIGHTING & VISIBILITY | | |
| Halogen headlights with remote height adjustment from fascia | ● | ● |
| Reversing lights | ● | ● |
| Rear fog lights | ● | ● |
| High level third brake light | ● | ● |
| SEATING | | |
| Driver's seat rake, reach and height adjustable | ● | ● |
| Single passenger seat, rake and reach adjustable, fold down backrest with integrated cup holders | ● | |
| Multi Flex passenger seat (dual passenger seat / fold into floor main passenger seat; middle passenger seat for occasional use) | | ● |
| 2 passenger bench seat | | ● |
| Height adjustable head restraints | ● | ● |
| Cloth upholstery | ● | ● |

ACCESS

| |
|--|
| Driver's armrest |
| Electrically adjustable door mirrors |
| Height and reach adjustable steering wheel |
| Height adjustable driver's seat |
| RD4 radio / mono CD player / MP3 and steering column remote controls |
| 12v accessory socket in dashboard |
| Bluetooth, USB & Aux input |
| Front electric windows |
| Hard plastic floor protection in cargo area |
| Sliding drawer under driver's seat |
| Full size spare wheel |
| Twin side sliding doors (Long Body Version only) |
| Automatic door locking at 5kph |
| Plip remote central locking |
| 6 tie down hooks in load area |
| Driver's ladder frame protector |
| Driver's airbag |
| ABS and emergency brake assist (EBA) |
| Electronic brake force distribution (EBFD) |

ACTIVE

| |
|---|
| Cruise control & Speed limiter |
| Multi-flex 2 passenger bench seat |
| 15" Auckland wheel trims |
| N/A |
| Electrically adjustable door mirrors |
| Height and reach adjustable steering wheel |
| Height adjustable driver's seat |
| RD4 radio / mono CD player / MP3 and steering column remote controls |
| 12v accessory socket in dashboard (plus socket in cargo area) |
| Bluetooth, USB & Aux input |
| Front electric windows |
| Hard plastic floor protection in cargo area (not available in Ecomatique) |
| Sliding drawer under driver's seat |
| Full size spare wheel |
| Kerb-side side sliding door |
| Automatic door locking at 5kph |
| Plip remote central locking |
| 6 tie down hooks in load area |
| Driver's ladder frame protector |
| Driver's airbag |
| ABS and emergency brake assist (EBA) |
| Electronic brake force distribution (EBFD) |

E & OE July 2015

